

 **KARBONA**
PERFORMANCE / STRENGTH / LIGHTNESS

2016



www.karbona.com



Tel : 886-4-22950598

Fax : 886-4-22939133

E-mail : karbona@karbona.com

info@karbona.com

KARBONA PARTS INC

Specification of the Products
and the related Graphic Design
in the catalogue are for your
reference and subject to change.

ZONDA-T II

A	B	C	D	E	F	G	H	H1	I	J1	J2	K1	K2	WB
520	519.5	430	58	540	407.5	115	73.5	71.5	45	47	42	52	48	1014.7



Frame: high modules carbon fiber.

Fork: full carbon fiber monocoque with 1 1/8 integrated with regular contact bearings.

Seatpost: maximum cut off length ISP, measured from top is 70mm. Every square millimeter is designed to reduce energy sapping drag, just pure aerodynamic efficiency.

Internally routed cables and aero positioned brakes for a smooth airflow. Every tube is constructed to maximum aerodynamics and power transfer. Dual tube angles in 74/76 degree with multi position clamp.

Geometry offers the best combination of aero positioning and comfort (Medium and Large sizes sloping)

Handlebar: Sedna 420mm (stem extension available in 90/100/110/120mm)

Saddle: Comfort System in black

Group System: Zero System

Crankset: Matrix EXS Inter (BCD 110mm, length available in 170/172.5/175mm)


Brake Caliper: Vigor

Pedal: Pedal System

Wheelset: Duetto I 50mm tubular

ZONDA

Time machine for Triathlon and Time Trail
 Monocoque HM carbon fiber UD woven in
 glossy Integrated seatpost tube design
 Aero dynamically natural seatpost
 Adjustable Double angles of 76 degree
 and 74 degree
Weight :1450g±20g for medium size
Existing size : M and L to be available




SIZE	ST	TT	SA	HA	B	HT	WB	FC	RC
M	800	535	74.5	70.5	356.27	100	990.31	595.55	400
L	850	558	74.5	70.5	406.26	100	1014.05	619.21	400

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	REACH	STACK
490	490	433	520	120	72°	75°	67	405	972	370	43	577	382	516
550	550	490	545	170	73°	73.5°	67	405	974	370	43	579	376	571

PLANET LITE


Head Tube: 1-1/8" ~ 1-1/2"
Size Available: 490/550mm
Frame Weight: approx. 1050g±30g/520mm
Fork Weight: approx. 520g±20g
Bottom Bracket: PF30
Seatpost: Ø27.2
Carbon wave: UD/3K/12K
Compatible with Di2
Color: painted or naked



SIZE	C-C	N	RC	H	G	F	WB	L	FC	Q1	Q7	TRAIL
440	380	510	405	68	365	45	974	120	578	71.75	74.5	65
470	410	530	405	68	365	45	977	130	582	72.5	74.0	60
500	440	545	408	68	365	45	979	145	585	73.0	73.5	57
530	470	560	408	68	365	45	994	165	596	73.5	73.25	54
560	500	575	408	68	365	45	1003	180	604	73.75	73.0	52
590	530	590	410	68	365	40	1009	200	609	74.0	72.5	51

LOGIC LITE

Head Tube: 1-1/8" - 1 1/2"
Size Available: 440/470/500/530/560/590mm
Frame Weight: approx. 950g±30g
Fork Weight: approx. 400g±20g
Bottom Bracket: BC1.37" & SRAM PF30
Seatpost: Ø31.6mm OD Ø34.9mm



SIZE	S	SP	SC	SL	O	OS	HS	HC	F	OT	WB	FC	RC	G	HD	SEAT POST	AD
500	500	449	74.5	133.6	520	509.8	115	72	370.7	45	968.2	572	406	269	50	SP-02	230
520	520	409	74.5	136	528	518.7	130	72	370.7	45	976.8	580.5	406	269	50	SP-02	230
540	540	489	74	145.4	545	535.8	145	72.5	370.7	45	985.5	589.2	406	269	50	SP-02	230
560	560	509	73.5	154.2	555	546.5	160	72.5	370.7	45	990.9	594.6	406	269	50	SP-02	230
580	580	529	73	163.3	575	566.7	175	73	370.7	45	1001.5	605.1	406	269	50	SP-02	230

ZODIAC

Head Tube : 1-1/8"
Size Available : 500/520/540/560/580mm
Frame Weight : approx.1,145g±30g/540mm

HM Carbon Monocoque 700C Racing frame
 Seatpost Integrated design



ST	A	B	C	E	F	G	H	I	J	K
440	440	69	498	74.48	72	115	45	404	961	104
490	490	69	517	74.03	72.5	124	45	404	968	121
520	520	69	538	73.52	73	145	45	405	981	133.6
550	550	69	557	73.07	73	175	45	408	999	146
580	580	69	578	72.69	73.3	200	45	408	1012	158

NEO CARBONIO LITE


Head Tube : 1-1/8"
Seatpost Tube : Ø 31.6mm
Size Available : 440,490,520,550,580mm
Frame Weight : approx.980g±30g/520mm

HM Carbon Monocoque 700C Racing frame.



WING LITE

Head Tube: 1-1/8"-1-1/2"
Size Available: 520mm
Frame Weight: approx.980g±30g/520mm
Fork Weight: approx.350g±20g
Bottom Bracket: BSA
Seat post: oval shape
Carbon waving : 12K
Color: painted or naked



A	B	C	D	E	F	G	H	I	J	K	L
520	600	539	517	180	72°	73°	579	404	64	8°	145

NEO TT LITE


Head Tube : 1-1/8"

Size Available : 515/525/545mm

Frame Weight : approx. 1,480g±30g/525mm

HM Carbon Monocoque Time Trail frame

Fully Internal cable routing design



ST	A	B	C	E	F	G	H	I	J
515	515	68	496	75.5	73	90	38	400	990.6
525	525	68	526	75.5	72.5	90	38	400	964.6
545	545	68	556	75.5	72	90	38	400	938.3


NEO TRACK LITE

Head Tube : 1-1/8"

Size Available : 496/526/556/576mm

Frame Weight : approx. 1,680g±30g/505mm

HM Carbon Monocoque Track frame



ST	A	B	C	E	F	G	H	I	J
505	505	45	496	75.5	72	90	38	389	938
515	515	45	526	74.0	72.5	90	38	389	985
515	515	45	556	73.3	73	90	38	389	965
525	525	45	576	73.3	73	120	38	389	985

CHALLENGE 29

Head Tube : 1-1/8"-1-1/2"

Bottom Bracket : BB92

Size Available : 15.5",17.5",19.5"mm


Seat Tube : 34.9mm(for 31.6mm seatpost)

<Weight-17.5">

Frame : 1250g ±30g

HM Carbon Monocoque 29ers MTB frame

Fully internal cable routing design



SIZE	C-C	C-T	RC	FC	WB	H	F	G	L	N	STACK	REACH	Q7	Q1	TRAIL
15.5"	334	394	445	635	1073	60	46	506	90	570	609	394	73°	71°	79
17.5"	385	445	445	655	1093	60	46	506	100	590	618	411	73°	71°	79
19"	423	483	445	680	1119	60	46	506	115	615	632	432	73°	71°	79

CHALLENGE-650B

High module carbon fiber 650B geometry


For all mountain.

Size : 17" 19"

Headtube : 1 1/8"-1 1/2"

B.B. : PF30 73mm

Seat post : 27.2 mm




SIZE	A	B	C	D	E	F	G	H	J	K	REACH	STACK
1	17"	374.2	585.0	110.0	70.5	73.0	50.0	430.0	1068.9	43.0	402.6	546.5
2	19"	401.9	601.9	120.0	71.0	72.5	50.0	430.0	1074.6	43.0	410.4	558.5

GE LITE

Seat Tube : ø27.2mm

Size : 500/520/540/560/580/600/620mm

Frame weight : around 1400g/540mm



Monocoque Frame for Road racing 700C.

Intergrated for 46mm

OD : 1/1/8" W/campagnolo bearing

Outer cable routing Interchangeable dropout



ST	A	B	C	D	E	F	G	H	I	TT	HT	RC	WB
500	368	45	72'	67	74'	525	ø27.4	ø31.8	68	515	110	405	970.6
520	368	45	72'	67	73'	536.3	ø27.4	ø31.8	68	525	120	405	969.4
540	368	42	72'	67	72.5'	547.2	ø27.4	ø31.8	68	535	130	408	969
560	368	42	73'	67	72'	557.5	ø27.4	ø31.8	68	545	145	408	969.3
580	368	45	73'	67	72'	572.8	ø27.4	ø31.8	68	560	160	408	986.2
600	368	45	73'	67	72'	588.5	ø27.4	ø31.8	68	575	175	408	990.8
620	368	45	74'	67	72'	598.2	ø27.4	ø31.8	68	585	195	408	1000.6

MUSCLE LITE

HM carbon monocoque road racing for 700C.

Muscle designed.

Seatpost tube : 27.2mm

Size : 520/550/580mm

Frame weight : around 1490g 550mm



ST	A	B	C	D	E	F	G	H	I	TT	HT	RC	WB
520	355	42	73°	70	74°	542.4	ø27.4	ø34.9	68	530.2	140	405	974.7
550	355	42	73°	70	73°	562.9	ø27.4	ø34.9	68	547.6	160	405	980.7
580	355	45	75.3°	70	73°	579.7	ø27.4	ø34.9	68	560	180	405	992.8

VELO LITE

Mini size frame for 20" wheel set

Head Tube: Tapered 1 1/8"-1 1/2"

Size Available: 300(C to T)

Frame Weight: approx 1045±50g

Fork Weight: approx 430 ± 12g(with Disc Mount)

Bottom Bracket: BSA1.3T*24t

English teeth

Seat Tube: ø27.2mm

Shimano 9 speed

Rake: wall to wall, 50mm

Bottom width of rear stay: 135mm

Apperance: 3K woven in Matt with Karbona logo



ATB LITE


HM Carbon Monocoque "26 MTB frame

SeatpostTube: 31.6mm

Size Available: 300(C to T)

Size: 16", 18", 20", 22"

Frame Weight: around 1510g/18"



	A	B	C	D	E	F	G	H	H1	I	J	L	K
16"	21"	16.53"	1.38"	1.5"	17.13"	4.92"	74"	71"	ø1.81"/1.97"	ø1.65"/1.73"	ø1.08"/1.25"	ø1.25"/1.37"	
18"	21.67"	16.73"	1.38"	1.5"	17.72"	4.72"	73"	71"	ø1.81"/1.97"	ø1.65"/1.73"	ø1.08"/1.25"	ø1.25"/1.37"	
20"	22.23"	16.73"	1.38"	1.5"	17.72"	4.72"	73"	71"	ø1.81"/1.97"	ø1.65"/1.73"	ø1.08"/1.25"	ø1.25"/1.37"	
22"	22.79"	16.73"	1.38"	1.5"	17.72"	5.51"	73"	71"	ø1.81"/1.97"	ø1.65"/1.73"	ø1.08"/1.25"	ø1.25"/1.37"	

CROSS MIDAS

HM carbon monocoque cyclo cross frame set

Head Tube: Tapered 1-1/8"-1-1/2"

Bottom Bracket: BB30


Seat Post : 31.6mm

Cable Routing : internal shifting routing
external disc brake routing

Woven : 3K, 12K, UD or UDM

Weight : 1140g (M Size)

Fork : 1-1/8" -1 -1/2"fork



SIZE	A	B	C	D	E	F	M	G	H	K	L	I	J	REACH	STACK
XS	510	455	510	90	71.5°	74°	498	60	425	45	563	981	400	363	510
S	525	470	525	100	71.5°	74°	513	60	425	45	560	998	400	376	520
M	540	470	540	120	71.5°	73.5°	527	60	425	45	590	1008	400	379	539
L	560	505	560	140	72°	73.5°	547	60	425	45	606	1024	400	394	560
XL	580	525	580	160	72°	73°	566	60	425	45	621	1039	400	403	578
XXL	595	540	595	190	72.5°	72.5°	577	60	425	45	626	1044	400	403	609

HERCULES

Full carbon 27.5" MTB tubeless wheel set

Spec.	Front	Rear
Brake	Disc brake	Disc brake
Weight	950g	1080g
HUB	Shimano or Campy	
Type	Tubeless or clincher	



PROPELLER

Spec.	Front	Rear
Profile	n/a	n/a
Brake Surface	Carbon	Carbon
Spoke Hole	n/a	n/a
Weight(T)	1000g	1100g
ERD(mm)	n/a	n/a

Mission for TT and Track The 5 spokes aero wheel is made of high modular carbon fibres by Pu formed technology which designed for a better tetmpature resisting and a better air pressure.

The 5 spokes wheel is the ideal monoque wheel for front and rear or combines with a rear disc.

"The weight tolerance is $\pm 30g$ /per set



DISC AIR

This Disc-Air is made by using the bladder molding system which enables the maximum inner molding pressure to compact the carbon lamination and provide more rigidity.

This process in making the Disc-Air lighten the weight by at least 200-400 grams approximately and less expensive compared the way by using foam core or nomex honeycomb structure.

Available for road and for track



CHARISMA

Spec.	Front	Rear
Profile	90mm	90mm
Brake Surface	carbon	carbon
Spoke Hole	20H	24H
Weight (C)	880g	1080g
ERD (mm)	473.7mm	473.7mm

<Option>

for Hub / Race / Crest

Mission for ironman Triathlon competition and TT courses its stiffness coefficient enables the rider to convert muscle effort into toward motion without wasted energy.



MINI VELO 20"

Style: clincher
 Hub: Shimano 9 speed
 F:20H*R24H
 Size:20"
 Weight:0.62kg
 406 451 available



MOONSHOOT

Spec.	Front	Rear
Profile	58mm	58mm
Brake Surface	aluminum	aluminum
Spoke Hole	20H	24H
Weight (C)	950g	1150g
ERD (mm)	532.7mm	532.7mm

<Options>

for Hub / Race / Crest

Mission for Road and Time Trail

Selected by aluminum bed over all carbon bed For improved braking and to protect the tire and avoid flats.

Stiff and compliant of Karbona's proven

58mm clincher which hold high crusing speed with less effort.



DUETTO-II

Spec.	Front	Rear
Profile	38mm	38mm
Spoke Hole	20H	24H
Weight (T)	613g	828g
Weight (C)	715g	930g
ERD (mm)	568mm	568mm

<Options>

Tubular / Clincher



UFO

Carbon Disc wheel.

Hub:Shimano, Camy, Track and Sram

Appearance: 3K

Weight: Appox. 1275g.

Package with brake pad and changeable axel

Shimano, Campy or track inter changeable



DUETTO-I

Spec.	Front	Rear
Profile	50mm	50mm
Spoke Hole	20H	24H
Weight (T)	645g	860g
Weight (C)	743g	958g
ERD (mm)	546mm	546mm

<Options>

Tubular / Clincher



TIME SPEED

Spec.	Front	Rear
Profile	85mm	85mm
Brake Surface	carbon	carbon
Spoke Hole	20H	24H
Weight (T)	760g	1070g
Weight (C)	840g	1150g
ERD (T/mm)	468.5	468.5
ERD (C/mm)	469mm	469mm

<Options>

for Hub / Race / Crest

Combining the new carbon matrix hubs and track hubs with the aerodynamics of Karbona's proven 85mm carbon tubular deep rims and bladed spokes make the time trail carbons the ultimate quality weight race wheels.



XENA-TT

HM Carbon Monocoque Handlebar for Time Trial 3K, 12K weave gloss finished

Fork clamp: 1-1/8"

Width(C to C): 420mm

Extension Available: 90/100/110/120 mm

Wright: approx.492±15g



IRONMAN

Professional Design Aero Bar
HM Carbon Monocoque Construction
for Triathlons

Width (C to C): 400mm

Weight: 590g±20g

Stack:10mm



CITY 2 SUPER

HM Carbon Monocoque
MTB Riser Bar
3K weave glossy

Barbore: Ø 31.8mm
Width : 640mm
Rise : 20mm
Weight : approx. 175 ± 10g



LIFE 2 SUPER

HM Carbon Monocoque
MTB Straight Bar
3K weave glossy

Barbore : Ø 31.8mm
Width : 580mm
Sweep : 6° back sweep / 0° up sweep
Weight : approx. 175g ± 10g



SWEET ZONE

HM Carbon Monocoque Handlebar
for road 3K, 12K woven glossy

Length Available : 400, 420, 440mm
Barbore : 31.8mm
Weight : approx. 260g±10g / 420mm



COMP ELITE

HM Carbon Handlebar for Road
3K woven glossy appearance

Length Available : 400, 420, 440mm
Barbore : Ø 31.8mm
Weight : approx. 315g ± 15g



TWIN PEAK

Carbon Matrix Handlebar for Road
AL6061 + 6K woven glossy appearance

Length Available : 400, 420, 440mm
Barbore : Ø31.8mm
Weight : approx. 262g±15g



COUGAR

HM Carbon Handlebar for Road Palm
Shape Design 3K or 12K woven glossy

Lenth Available : 400, 420, 440mm
Barbore : 31.8mm
Weight : approx. 250g±15g

SEDNA-X

Aerobar for Time Trial and Road
Carbon fiber with 3K weave glossy
Monocoque construction

Barbore : 31.8mm
Width(C to C) : 420mm
Weight : approx. 750±15g





KSP-05

Road Seatpost
HM Carbon Monocoque Material
Single bolt design w/ glossy finished

OD: Ø31.6mm available
Lenth: 320mm
Weight : approx.187.5g±5g



KSP-06


MTB Seatpost
Carbon post w/ Alumium Cap

OD: Ø31.6mm available
Lenth: 350mm
Weight: approx. 240g±5g

KSP-25

Road Seatpost
HM Carbon Monocoque Material
3K or 12K woven glossy

Carbon Aero Shape
Seatpost for road
2 Fixing bolts micro adjust clamp
OD: Ø27.2mm or Ø350mm



KSP-10

Road Seatpost
HM Carbon Muscle Design
3K or 12K woven glossy

OD: Ø27.2mm or Ø31.6mm available
Lenth : 350mm
Weight : approx. 178.8g±10g



KSP-18

Road Seatpost
HM Carbon Monocoque Material
3K or 12K woven glossy

OD: Ø27.2mm available
Lenth : 320mm
Weight : approx. 198g±10g



KSP-23

Road Seatpost
HM Carbon Monocoque
W/ 3D forged one piece design
3K or 12K woven glossy

OD: Ø27.2mm or Ø31.6mm available
Lenth : 350mm
Weight : approx. 223g±10g



KSP-88

For Road and TT
Monocoque stronger and
aero shape construction.
2bolts more micro adjustable
Carbon clamp.

OD : 27.2 / 31.6mm,L/350mm
Weight : approx. 185g±5g

FLYING FISH

HM Carbon Monocoque Stem for Road
W/ 3K woven glossy finished

Steerer Tube : 1-1/8"

Angle : -5°

Barbore : Ø31.8mm

Extension Available : 90, 100, 110, 120mm

Weight : approx. 138.0g±5g / 90mm



KRX-12

Carbon wrapped stem for Road & MTB
Flip-flop w/ 3K tube & cap carbon wrapped.

Steerer Tube : 1-1/8"

Angle : ±10°

Barbore : Ø31.8mm

Extension Available: 90, 100, 110,
120, 130mm

Weight : approx. 175.0g±5g / 110mm



KRX-15

Carbon wrapped stem for Road & MTB
Flip-flop w/ 3K tube & cap carbon wrapped.

Steerer Tube: 1-1/8"

Angle : ±10°

Barbore : Ø31.8mm

Extension Available : 90, 110mm

Weight : approx. 181.0g±5g / 110mm



KRX-90

Carbon Matrix stem for Road & MTB
3D forged CNC Machined w/ flip-flop.
AL 7075 w/ 3K tube&cap carbon wrapped.

Steerer Tube : 1-1/8"

Angle : ±5°

Barbore : Ø31.8mm

Extension Available : 80, 90, 100, 110, 120mm

Weight: approx. 128.6g±5g / 90mm



WENDY

Carbon fork 26" for MTB
AL7075 steerer w/ full carbon tubes.
W/ 3K woven glossy finished
2D forged AL 6061 dropouts
Steerer Tube : 1-1/8"
Size Available : Super-445mm(26")
Weight : approx. 1,040g±15g /26"



CYCLOCROSS DISC

Cyclocross fork
AL7075 steerer w/ full carbon tubes
W/ 3K or 12K woven glossy finished
Steerer Tube : 1-1/8"
Integrated 46mm dual pivots
For V-brake and Disc brake system
Weight : approx. 740g±15g




ULTRA III

For 700c race fork
HM carbon fiber monocoque
3K woven carbon in black glossy
45mm integrated
Weight : approx. 740g±15g



CORSA-ELITE

Monocoque full carbon racing fork
3K,12K,UD woven glossy finished
Steerer Tube : 1-1/8"
Offset : 45mm
Weight : approx. 375±15g



RACING SPEED

Racing fork full carbon monocoque
Aero dynamic construction design
Offset : 45mm
Steerer Tube : 1-1/8"
Weight : 385g±15g



27ER FORK

full carbon fork for 27.5" wheel set
Steerer tube : Carbon fiber
(1-1/8"~1-1/2")
Monocoque HM carbon fiber UD
Post Mount Disc brake mount
AC length : 425/445/465/470/490mm
Weight : 680g m (465mm);
698g(490mm)
Offset : 42mm



MATRIX EX5 INTER COMPACT

Carbon Matrix crankset w/ B.B. Integrated type W/ AL7075 CNC Chainrings.

BCD : 110mm

Chainrings : 50/34t

Length Available : 170, 175mm

Weight : approx. 834.6g±15g



EX-INTER

HM Carbon crankset w/ B.B. Integrated type.

BCD : 130mm

Chainrings : 53/39t (130)

Length Available : 170, 172.5, 175mm

Weight : approx. 714g±15g



VIGOR

Carbon Matrix dual pivot

Brake caliper with QR.

Carbon Matrix cartridge

Weight : 174g(Front) / 169g(Rear)



SCOPE

Use like steer spacer with carbon tubing for front light, speed meter.

For Road

Material : AL-7075 Tube: Carbona

Color : Black / Silver / Red / Gold

Weight : 65 gms



For MTB

Material : AL-7075 Tube: Carbona

Color : Black / Silver / Red / Gold

Weight : 78 g



PEDAL SYSTEM

HM Carbon fiber pedal for road

Body: Full Carbon Fiber

Spindle: CNC machined Cr-Mo

CNC machined Ti

Size: 85*93mm

Weight: 205g/pr.



PACKER

Carbon carrier, an ideal option for Trialhorn or Cruise. 2 bottle cages and 1 air pump can be installed on the Packer.

Product doesn't include bottle cage and air pump.



SADDLEWORK

Carbon Base with Synthetic leather upper & High Performance Sponge

Color : Rad/Black

Weight : approx. 189g ±10g



COMFORT SYSTEM

HM Carbon fiber light weight saddle
Various colors available

Base : full carbon fiber

Rails : carbon rails

Color Available : Black, Red, Blue, Green

Weight : approx. 123g ± 10g



COMFORT SYSTEM-X



CARRIER

HM Carbon fiber carrier

Multifunction for time trial/road

Weight : approx. 88g ± 10g



PLUG

Carbon ahead cap

One Size fits to all (22.5~25.4mm)

Weight : approx. 30g ± 5g



ERGO

HM Carbon fiber MTB bar end
W/ 3K woven glossy finished

Weight : approx. 127g ± 5g





CRESCENT

HM Carbon Water Bottle Cage
3K Woven Glossy Finished
Color Available : Black
Weight : approx.26±5g



THRONE

HM Carbon Water Bottle Cage
3K Woven Glossy Finished
Color Available : Black
Weight : approx.24g±5g



ROSELINE

HM Carbon Water Bottle Cage
3K/Marble woven Glossy finished
Color Available : Black(marble) Red(3K)
Weight : approx. 33.4g ± 5g



ECLIPSE

HM Carbon Water Bottle Cage
3K Woven Glossy Finished
Color Available : Black
Weight : approx.25±5g



WING

HM Carbon Water Bottle Cage
3K woven Glossy finished
Color Available : Black
Weight : approx. 27.2g ± 5g



EXTREME

HM Carbon Water Bottle Cage
Marble woven Glossy finished.
Weight : approx. 33.4g±5g



CASTLE

HM Carbon Water Bottle Cage
Marble woven glossy finished
Weight : approx. 21.2g±5g



GUESS

HM Carbon Water Bottle Cage
Marble woven Glossy finished
Weight : approx. 20g ± 5g

GEMINI-X

Full Carbon RQ For Road
Material: Carbon Cam+Carbon stem
Appearance: UD in glossy
Weight: 26.8g±5g



SKEWERS

Quick Release skewer for ROAD
Made from AL7075 fully CNC Machined
w/ 64 Ti axle Super Light weight design
Axle Length : 100mm for front / 130mm for rear
Color Available : Black, Red, Blue, Gold,
Silver anodized
Weight : approx. 46g ± 5g /130mm



GEMINI

Quick Release skewer for ROAD
Carbon cam + Titanium axle
Axle Length : 100mm for front / 130mm for rear
Weight : approx. 43.8g±5g/110mm
45.6g±5g /130mm



CLAMP-Q

Clamps for ROAD and MTB
Made from AL7075 fully CNC Machined
W/ quick release design
Clamp Sizes : 31.8mm / 34.9mm
Color Available : Black, Red, Blue, Gold,
Silver anodized
Weight : approx. 22.4g/31.8mm; 22.7g/34.9mm

