

KARBONAMOTOR PARTS



CLUTCH LEVER

Karbona No : KJY1297.P8+P1

QUICK ADJUST MX CLUTCH LEVER WITH HOT STARTER QUALITY
6061-T6 FORGED ALUMINUM QUICK ADJUST FOR ON-THE-FLY
ADJUSTMENTS ROLLER BEARING PIVOT FITS ALL 7/8 BARSCR RATIO

KARBONAMOTOR PARTS NO : **KJY-1297.P8+P1**

Description:

AOF clutch lever with compression release lever

Spring loaded ball system thumb adjuster

Rubber boot designed to keep clean and secure

smooth action

Roller bearing quick adjust clutch lever; competition

clutch assembly fits 7/8" bars Snap click star adjuster,

nylon sleeve fits around handlebar

Simple design mounts on motorcycle and off road

supercross with standard 7/8" handlebars.

Features:

Fast and easy installation

Works on motorcycle and super cross with standard

7/8" handlebars

Quick adjust MX clutch lever.

Application for Honda CRF 250 and CRF-450 4 stroke
dirt bikes

KARBONAMOTOR PARTS



CLUTCH LEVER

Karbona No : KJY1291.OE-SP2

HONDA CLUTCH LEVER ASSEMBLY KAWASAKI/SUZUKI/YAMAHA
CLUTCH LEVER ASSEMBLY

KARBONAMOTOR PARTS NO : **KJY-1291 OE SP-2**

Description:

Honda clutch lever assembly fits 7/8" bars. Simple design mounts on motorcycle and off road supercross with standard 7/8" handlebars.

Split two piece lever assemblies. Honda style. No need to remove controls when changing.

Fit most ATC 90/100/110/185/200 or can be adopted to fit other models.

Features:

Aluminum 6061 casting forged manufacturing

Fast and easy installation

Works on motorcycle and super cross with standard 7/8" handlebars

Application for karwasaki/Suzuki/Yamaha

KARBONAMOTOR PARTS



■ MOTORCYCLE BRAKE PUMPS SERIES

Karbona No : HQ085

OFF ROAD BRAKE LEVER
OE STYLE REPLACEMENT

KARBONAMOTOR PARTS NO : **HQ085**

Description :

Motorcycle brake pumps series Off road brake lever
OE style replacement, meet or exceed OE quality

Features :

application for most models

Aluminum 6061-T6 casting forged manufacturing, in
Black anod. and available for High polish

KARBONAMOTOR PARTS



■ MOTORCYCLE BRAKE PUMPS SERIES

Karbona No : HQ086

BRAKE ADJUSTABLE LEVER FOR HYDROLIC PUMP

KARBONAMOTOR PARTS NO : **HQ086**

Description :

Motorcycle brake pumps series Off road brake levers

For hydrolic pump brake

Inexpensive replacement for sportbikes bikes

OE style replacement, meet or exceed OE quality

Features :

control system to be applied for most models

Aluminum 6061-T6 casting forged manufacturing, in Black anod. and available for High polish and golden anod.

KARBONAMOTOR PARTS



■ Triple Clamp

Upper Clamp w/ Bar Mount TC-CR1220

Compatibility : CR 125/250 '97-'02, CRF 450 '02

Bar Mount : MS1257, Rise : 35mm

TC-KX1271

Compatibility : KX 125/250 '04

Bar Mount : MS1257, Rise : 35mm

KARBONAMOTOR PARTS NO : **TC-CR1220**

Description :

high performance upper clamp with bar mount

Compability: CR 125/250 97-'02CRF 450'02

Adjustable Bar mount: four different heights for option

Rise 35mm 40mm 45mm 55 mm available

Features :

CNC machined in Taiwan manufacturing in Aluminum 6061 forged

bar bore: 28.6mm/22.2mm

color available : silver/gold/black/red/ blue / titanium /gun metal

KARBONAMOTOR PARTS



■ Triple Clamp

TC-RM1226

Compatibility : RM 125/250 '01-'02

Bar Mount : MS1258, Rise : 40mm

TC-RM1227

Compatibility : RM 85 '02

Bar Mount : MS1258, Rise : 40mm

KARBONAMOTOR PARTS NO : **TC-CR1226**

Description : high performance upper clamp with bar mount

Compability: RM 125/250,'01/'02

Adjustable Bar mount: four different heights for option

Rise 35mm 40mm 45mm 55 mm available

Features :

CNC machined in Taiwan manufacturing in Aluminum 6061T-6 forged

bar bore: 28.6mm/22.2mm

color available : silver/gold/black/red/ blue / titanium /gun metal

KARBONAMOTOR PARTS



Handlebar
HD-286XX Ø28.6mm Taper Ø22.2mm

HD-286CR-Low
7075, 2014 or 6061-T6 Alloy
w/802mm * h/65mm

KARBONAMOTOR PARTS NO : **HD-286CR-LOW**

Description :

Tapered outer wall 1/1/8" to 7/8" for use with standard size grips and controls.

Cold forged from air craft quality 7050 T6 aluminum for greater strength

Shot peened and anodized better durability.

Knured grip and clamp area to resist slippage

Vinyl covered bar pad available

Features :

barbore 28.6mm Taper 22.2mm

w/802mm h/65mm

7050,2014 6061-t6 available

Color available: Silver, Black/Gold, titanium, Gun metal, blue, orange

KARBONAMOTOR PARTS



Handlebar
HD-318XX Ø31.8mm Taper Ø22.2mm

HD-318CB

Carbon + AL7075 Aluminum tube
w/810mm * h/80mm

HD-318SC

New Super Scandium Alloy H/B
w/810mm * h/80mm

HD-318PT

7075/2014/6061-T6 Alloy Handlebar
w/810mm * h/80mm

KARBONAMOTOR PARTS NO : **HD- 318XX**

Description :

Tapered outer wall 31.8mm for use with standard size grips and controls.

Cold forged from air craft quality 7050 T6 aluminum for greater strength

Shot peened and anodized better durability.

Knured grip and clamp area to resist slippage

Vinyl covered bar pad available

Features :

barbore 31.8mm Taper 22.2mm

Available for Carbon matrix(carbon+ aluminum 7050 tube

w/810mm;h/80mm

color available for Silver, Black, Gold, Titanium, orange, gun metal

KARBONAMOTOR PARTS



Handlebar
HD-222XX 6061-T6 alloy clamps & crossbar
Standard Ø22.2mm

HD-222CR-Low
7075, 2014 or 6061-T6 Alloy
w/800mm * h/70mm

KARBONAMOTOR PARTS NO : **HD-222CR-LOW**

Description :

5mm wall thickness for added strength. Aluminum 6061

T-6 shot [peened and anodized for better durability

Knurled grip and clamp area to resist slippage

Vinyl covered bar is available

Features :


aluminum –T6 clamps and cross bar

Standard 22.2

w/800mm;h/70mm

colors available: Silver, Black, Titanium, Gold, Orange,
Gold.

KARBONAMOTOR PARTS

 <p>■ ATV-001 Dimension: 88.6*12.2' Capacity (lbs):1500 Gross Weight (KW):15.9 Net Weight (NW):14.4 Material:AL 6061</p>	<p>KARBONAMOTOR PARTS NO : ATV-001</p> <p>Description :</p> <p>Dimension:88.6X12.2 Capacity(lbs)1500 Gross weight(KW):15.9 Net weight (NW):14.4 Material:AL 6061</p> <p>Features :</p> <p>Arched Dual Runners for ATV ramps New easy-to use safety straps to secure the ramp in use Rubber tipped fingers provide a strong grip Serrated rods for traction</p>
--	---

KARBONAMOTOR PARTS



ATV-005

Dimension: 94*41'
Capacity (lbs):2700
Gross Weight (KW):38
Net Weight (NW):33
Material:AL 6061

KARBONAMOTOR PARTS NO : **ATV-005**

Description :

Dimension:94X41

Capacity(lbs)2700

Gross weight:(KW):38

Net weifght(NW):33

Material:AL6061

Features :

Arched folded ramps for Motorcycle ramps

New easy-to use safety straps to secure the ramp in use

Rubber tipped fingers provide a strong grip

Serrated rods for traction

Mesh for easy of walking up the bike

KARBONAMOTOR PARTS



CARBON FIBER PARTS
Carbon front fender for Motorcross

KARBONAMOTOR PARTS NO : **Carbon Front Fender for Motor-X, street bikes**

Description :

Moto-X parts & ATV accessories has been innovating in the field of high modulus carbon fiber continues with monocoque body and exclusive molding technology in high pressure compression moulding the carbon products by using high modular T 700 carbon fibre by Toray in Japan. The carbon front fender are made by using the compound moulding system with epoxy prepreg which enable the maximum inner molding pressure to compact the carbon lamination and provide more rigidity. This is proceeding in process of prepreg carbon lay up by compression moulding under hydraulic pressure for curing and cooling with a heating temperature over 300 centigrate in terms of three phases by a different heating hours.

Features :

3 k woven glossy carbon fiber, compound molding manufacturing, lightless and sleek appearance and performance

KARBONAMOTOR PARTS



KARBONAMOTOR PARTS NO : **carbon collar protector for supercross and dirt bikes**


Description :

Moto-X parts & ATV accessories has been innovating in the the field of high modulus carbon fiber continues with monocoque body and exclusive molding technology in high pressure compression moulding the carbon products by using high modular T 700 carbon fibre by Toray in JapanThe carbon front fender are made by using the compound moulding system with epoxy prepreg which enable the maximum inner molding presseure to compact the carbon laminationm and provide more rigidity. This is proceeding in process of prepreg carbon lay up by compression moulding under hydraulic pressure for curing and cooling with a heating tempature over 300 centegrate in terms of three phases by a different heating hours.

Features :

3 k woven glossy carbon fiber, compound molding manufacturing, lightless and sleek appearance and performance

KARBONAMOTOR PARTS



■ Strong light weight aluminum handguard

Available in 5 hard anodized colors
Smooth curve to fit protector
Two-piece inner mount design allows easy installation without removing grips or controls
All components included
Available for standard and over size handlebar
Color : silver, titanium, orange, blue, black
Suit for 22.2 or 28.6 mm bar
Super light weight

KARBONAMOTOR PARTS NO : **HG-001** deluxe woods pro aluminum handguard


Description :

deluxe woods pro aluminum handguard are made with a larger bend to give riders a greater clearance for riders brake and clutch levers and have a more positive mounting hardware to help keep handguards in place.

Features:

Available in 5 anodized colors silver titanium, orange blue and black
Smooth curve to fit protector
Two piece inner mount design allows easy installation removing grips or controls
All compounds included
Available for standard size and over size handlebar
Suit for 22.2 or 28.6mmbar

KARBONAMOTOR PARTS



CLUTCH LEVER

Karbona No : HG-003

KARBONAMOTOR PARTS NO : **HG-003**

Description :

Integrated plastic hand guard to maximize hand and lever protection add-on plastic handguards for ATV woods pro aluminum handguard plastic shield woods pro aluminum handguard are made with a larger bend to give riders a greater clearance for riders brake and clutch levers and have a more positive mounting hardware to help keep handguards in place

Features :

Available in 5 anodized colors silver titanium, orange blue and black
Smooth curve to fit protector
Two piece inner mount design allows easy installation removing grips or controls
All compounds included
Available for standard size and over size handlebar
Suit for 22.2 or 28.6mmbar

KARBONAMOTOR PARTS



■ Gas Caps&Vents + others

KGTC-CRF-V
KGTC-XR-V
KGTC-KX-V
KGTC-RM-V
KGTC-YZ-V
GAS Tank CAP (big)
Model GTC-CRF / XR / KX / RM / YZ
w/ round vent

KGTC-KTM-V
GAS Tank CAP (small)
Model GTC-KTM
w/ round vent

KARBONAMOTOR PARTS NO : **KGTC-CRF-V** billet gas caps with breathable vents

Description :
aluminum gas cap with rubber synthetic tube in round shape

Features :
Alloy 6061T6 billet, anodized fish, Fuel safe rubber seal
Available for CRF/XR 250 /450
Kawasaki KX 65 to 500
Suzuki RM 65 to 500
Honda CR80 to 250
Honda XR/CRF50
Suzuki RM 85/125/250,450
Yamaha YZ 85 to 250
KTM 65 and 450

KARBONAMOTOR PARTS



IKHD1

CR250 to CRF 250 / 400 / also KTM

KARBONAMOTOR PARTS NO : **IKHD-1**

Description :

Hole shot device system, CNC machined high performance launch control

Features :

application for CR 250 to CRF 250/400 also KTM

Also available to fit Also available to fit

CRF50/70/80/100/150/250 CR/85/250 ,XR


50/70/80/100/150, KX 60/65/80/85/100/125/250 P,

RM 85/125/250,450

YZ 80/85/125/450

KTM 65 and 450

KARBONAMOTOR PARTS



KARBONAMOTOR PARTS NO : **IKHD-2**

Description :

Hole shot device system, CNC machined high performance launch control

Features :

application for YZ 125-450F

Also available to fit CRF50/70/80/100/150/250

CR/85/250

,XR 50/70/80/100/150,

KX 60/65/80/85/100/125/250 P,

RM 85/125/250,450

YZ 80/85/125/450

KTM 65 and 450

KARBONAMOTOR PARTS



■ Gas Caps&Vents + others

UMK 286

UMK 318

Universal Mount Kit

Allows fitment of T2 XT1 or any other brand of oversized 1 1/8 barsnto your OEM 7/8" clamps.

Precision machined from 6061 T-6 aluminum

Repalcement mounts for OEM clamps

Designed to replace OEM rubber & solid mounts.

Reversible to allow different riding positions.

KARBONAMOTOR PARTS NO : **UMK286**

Description :

universal mount kit. Allows fitment of any other brand of standard size 7/8" or over size 1 1/8"precision machined billet aluminum from 6061 T-6 . replacement mounts for OEM clamps. Designed to replace OEM rubber and solid mounts.Reversible to allow different riding positions


Features :

CNC machined barbore 22.2mm/28.6mm

Colors available; silver and black

Useable for drit bikes and ATVs

KARBONAMOTOR PARTS



■ Gas Caps&Vents + others

TMB 286

TMB 318

I Universal Mount Kit

Allows fitment of T2 XT1 or any other brand of oversized 1 1/8 bars into your OEM 7/8" clamps.

Precision machined from 6061 T-6 aluminum

Replacement mounts for OEM clamps

Designed to replace OEM rubber & solid mounts.

Reversible to allow different riding positions.

KARBONAMOTOR PARTS NO : **TMB286**

Description :

bar mount for triple clamps. Shot peened finish .Allows fitment of any other brand of standard size 7/8" or over size 1 1/8"precision machined billet aluminum from 6061 T-6 . replacement mounts for OEM clamps. Designed to replace OEM rubber and solid mounts.Reversible to allow different riding positions

Features :

CNC machined bar bore 22.2mm/28.6mm

Colors available;HP silver and anodized black

Useable for ATVs and dirt bikes

KARBONAMOTOR PARTS



KARBONAMOTOR PARTS NO : **wheel chock**

Description :

tire chock for van and truck.

Models for street and off road motorcycles

Convenient bases that fits truck beds and trailers.

Base is flush mounting and self aligning same bases plates fits all wheel chock width sizes for off road 3.5" street 5.5" and 6.5"

Features :

made of 22mm diameter pipe super easy installation

Hardware is high grade durability and strength

Color in black painting

Maximum tire width 130mm(5.2inch)

KARBONAMOTOR PARTS



T-Bone Stand
T-Bone Stand
Silver,BLK and Gold

KARBONAMOTOR PARTS NO : **T-BONE STAND**

Description :

Stylish looking appearance Better support for bikes

Stays in place better

Super strong made of steel

Durable powder coat finish protective end caps

Features :

Honda/Kawasaki 11/16'

Yamaha/Suzuki ;9/16"

KTM 7/16"

Colors available: black and silver

KARBONAMOTOR PARTS



KARBONAMOTOR PARTS NO : **TRIANGLE Excel stand**

Description :

made of steel, quick and easy side stand hooks into rear axle

For use on bikes with rear axles of inner diameters

14.5mm for RM125/250'00 YZ125/250,YZF250

11mm for kx125/250'90-'02

Features :

for super moto bikes

Colors available: silver and black

KARBONAMOTOR PARTS



KHW-01 Motorcycle Hand Warmer

Keeps thumb toasty warm in coldest temperatures.
Easy installation, High/Low/Off heat setting.
Kit includes 2 heater elements with adhesive backing,
metal toggle or round rocker switch, connector wire and hardware.
Fits under existing grips. Easy installation

KARBONAMOTOR PARTS NO : **KHW-01**

Description :

Motorcycle hand warmer

Keep thumb toasty warm in coldest tempature Easy installation, high/low/off heat setting

Kit includes 2 heater elements with adhensive backing
Metal toggle or round rocker switch, connector wire and hardware

Features :

fits under existing grips. Easy installation

KARBONAMOTOR PARTS



KHW-02 ATV Thumbwarmer
Kit includes thumb heater 35 ohm, hi/low switch.
Honda, Kawasaki, Yamaha and Polaris
(Polaris 1999 or older)

KARBONAMOTOR PARTS NO : **KHW-02**

Description :
ATV thumb warmer Kit includes thumb heater 35 ohm,
hi/low switch

Features :
application for Honda, Kawasaki, Yamaha, Polaris

KARBONAMOTOR PARTS



KARBONAMOTOR PARTS NO : **JY7603-B (CR competition)**

Description :

Updated CR replacement throttle for 30-38mm carbs
Die casting aluminum housing with a black epoxy finish
Throttle cable will clear brake master cylinder on handlebar

Features :

Uses 4/12" throttle sleeve with grip retaining ring
Early disk brake Honda CR replacement
Available for most models

KARBONAMOTOR PARTS



883 AL 6061 CNC FOR CRF

KARBONAMOTOR PARTS NO : **884**

Description :

Billet Throttel tube for Throttle cam system

Adjutable power control for changing track conditions

Removeable end cap for easy handguard installation

Features :

Billet aluminum 6061-T6 forged + CNC machined

Application available for Kawasaki

125/250 '92-95,Yamaha 125/250 '96-'05,

Suzuki 125/250 '95-'05 ,Honda CR-125/250 '89-'05

CR/500 '89-'01 CRF 450

, KTM(2 stroke)

Colors available: silver, red, black,blue

KARBONAMOTOR PARTS

KARBONAMOTOR PARTS NO : **carbon handlebar**(HD-318 carbon)

Description :

Carbon matrix sytem + AL7075 T-6 aluminum tube

W /810mm/h/80mm

3k woven glossy barbore 31.8mm, 22.2mm for both end

HD-318XX Ø31.8mm Taper Ø22.2mm

w/810mm* h/80mm

HD-318SC

New Super Scandium Alloy H/B

w/810mm* h/80mm

HD-318PT

7075/2014/6061-T6 Alloy Handlebar

w/810mm* h/80mm

Features :

Karbona team is introducing a unique new aluminum tube concept for the 2009 season.

A very light and taper wall alu. tube with shot peened and anodized finish increase fatigue will be wrapped with carbon layers.

With this Alu.-Carbon Matrix method Karbona can combine the benefits of Aluminum and Carbon Fiber on strength and performance

The hand made custom high end matrix system handlebar by Karbona will use the extra strength which has been passed EN testing standard of the handelbar.



KARBONAMOTOR PARTS

KARBONAMOTOR PARTS NO : **Fuel Power Generator**

Description :

output power are available for 0.9KVA, 1.8KVA and 4.*KVA

Hand operated and electric start available

Engine model are available for 152F, 168F and 188F

Output: single and Phase DC

Rated voltage: 380V/220V/110V

Single fuel gas and dual fuel generator available

Stylish design of display panel and power outlet plugs also available

Features :

Max power(KW)0.85, Rated power(KW)0.75 rated Voltage 220.110

Rated Frequency(HZ)50/60

Type: single cylinder, air cooled 2 stroke Mix:50:1

Displacement(CC)63

Fuel tank(L) :4

Starting system recoil starting

Noise level at 7m(dB)60

Ignition system: CDI

Dimension(LXWXH) (MM) 420X340X325

Net/gross weight(KG) 23/25

Fuel consuming rate: 540g/kwXhr Fuel density:0.725kg/L generating power hrs: 7.2hr



Ding Feng Machinery from Taiwan Technology

DF950A

Generator

Max. Power(KW)	0.8
Rated Power(KW)	0.65
Rated Voltage (V)	220, 110
Rated Frequency (Hz)	50/60

Engine

Engine Model	DF1E45F
Type	Single Cylinder, Air-cooled, 2-stroke, Mix 50:1
Displacement (cc)	63
Fuel Tank(L)	4
Starting System	Recoil Starting
Noise Level at 7m (dB)	60
Ignition System	C.D.I

Package

Dimension(L x W x H) (mm)	375 x 315 x 315
Net/Gross Weight(Kg)	19/21

PS :

Full Consuming Rate : 540 g/kw*hr Full Density : 0.725 kg/L
Generating Hours : 8.3 hr

KARBONAMOTOR PARTS

KARBONAMOTOR PARTS NO : **Potable Fuel Generator**

Description :

output power are available for 0.9KVA, 1.8KVA

Hand operated

Engine model are available for 152F, 168F

Output: single and Phase DC

Single fuel gas and dual fuel generator available

Stylish design of display panel and power outlet plugs are also available

Features :

Max power(KW) 0.8, Rated Power(KW) 0.65

Rated Voltage(V) 220/110

Rated frequency(HZ) 50/60

Type: single cylinder Air-cooled 2 –stroke Mix 50:1

Displacement(CC): 63

Fuel tank: 4 Starting system: recoil starting

Noise level at 7(dB) 60 Ignition system: CDI

Package: dimension(LXWXH)(MM) 375X315X315

Net/gross weight(KG) 19/21

Fuel consuming rate: 540g/kwXhr, fuel density: 0.725kg/L

Generating power hrs: 8.3hr



DF950



DF1500



DF2500/DF2500E/F2500S



DF2900/DF2900E



DF3600/DF3600E/DF3600S



DF6500/DF6500E/DF6500S